

No. F 32 (177)/ NHM/H&WC/Desktop/2021-22/348

financial years (2018-19, 2019-20 & 2020-21).

Date: 04 03 2022

Clarification/ Corrigendum/Addendum

In reference to the UBN NO: MHS2122GLOB04270 and eproc Tender ID: 2022_MEDIC_259810_1, Clarification/ Corrigendum/Addendum is hereby issued under RFP published vide no.334 dated 18.02.2022 for "Supply, Installation & Commissioning of IT Equipments"

		Present Claus	e	Amended Clause			
		5. QUALIFICAT TY CRITERIA	ION/	CHAPTER 5. QUALIFICATION/ ELIGIBILITY CRITERIA			
Si	r. No 2 F	inancial: Turnover		Sr. No 2 F	inancial: Turnover		
S	pecific Rec	quirements		Specific Re			
th m 19 M Ito bi H m	te minimum tentioned to 19, 2019-20 dinimum A tem Group idder apply fardware of tentioned a kelusively	may come from a single naverage annual turnor able in last three finance & 2020-21) verage Turnover whet or more than one categor for shall be overall turnor entity which equivalend under no condition for items in particular	her in individual gory as the rnover in IT nt to the amount means turnover	the minimur mentioned t Five financi 2019-20 & 2 Minimum A Item Group bidder apply Hardware/ I Services) of	may come from a sing may average annual turnor able in the three finantial years (2016-17, 2020-21) Everage Turnover whether or more than one by for shall be overall TES (Information Technical Years) which equivale and under no condition	her in individua category as the turnover in I'hnology Enabled nt to the amoun	
	item Group/ Package	Group/ Package Title Desktop Computer	Min. Average Annual Turnover (in Lakh)		for items in particula		
1	1	Systems and other IT Equipment Bar Code Printer	6000 Lakh	1	Desktop Computer Systems and other	Lakh) 6000 Lakh	
	2	and Scanner	50 Lakh	<u> </u>	IT Equipment		
N	3	Bio-Metric Device bidder is quoting for	15 lakh	2	Bar Code Printer and Scanner	50 Lakh	
		cage mentioned in the		3	Bio-Metric Device	15 lakh	
tu	irnover fo	r should be the sumn r respective group/ pain the above table.		group/ pac the turnove turnover	bidder is quoting for kage mentioned in t er should be the sur for respective grou in the above table.	he above table mmation of th	
Q	CHAPTER 5. QUALIFICATION/ELIGIBILITY CRITERIA Sr. No 3 Technical Capability			CHAPTER QUALIFIC CRITERIA	CATION/ELIGIBILI	ГҮ	
		quirements			Technical Capabilit	y	
M bu C	finimum usiness of omputer d	Three years of exp supply, installation, c lesktop, printer etc (r 1, 2 & 3) all over In	ommissioning of nentioned in the	business of s Computer d	quirements Three years of expension of expen	mmissioning of entioned in the	

Item Group 1, 2 & 3) all over India in last Five



Government of Rajasthan National Health Mission, Rajasthan Department of Medical, Health & FW, Swasthya Bhawan, Jaipur

Tel. No. 0141-2221590, Email ID: md-nrhm-rj@nic.in

Bidder, if other than OEMs, must comply with the condition as per below mentioned table in a single supply order in any of the last 3 (three) financial vears (2018-19, 2019-20 & 2020-21) in India to Government Department/ Government Institution/ Public Sector undertakings/ Banking Sector. OEMs, if participating as bidders, must have manufactured at least a minimum of five times the quantity as shown below for respective item group in each year for last three financial years (2018-19, 2019-20 & 2020-21) in India.

Item Gro up	Item	supplied a minimum quantity in Single order
1	Desktop Computer Systems and other IT Equipment	30% of bid quantity
2	Bar Code Printer and Scanner	30% of bid quantity
3	Bio-Metric Device	30% of bid quantity

financial years (2016-17, 2017-18, 2018-19, 2019-20 & 2020-21). Bidder, if other than OEMs, must comply with the condition as per below mentioned table in a single supply atleast any one of the last 5 (Five) financial years (2016-17, 2017-18, 2018-19, 2019-20 & 2020-21) in India to any Government Department/ Government Institution/ Public undertakings/ Banking Sector. For Item Group no 2 & 3 supply order by any Private Corporate Sector is also allowed in addition of above.

Item Gro up	Item	supplied a minimum quantity in Single order
1	Desktop Computer Systems/ Laptops/ Printers	20% of bid quantity
2	Bar Code Printer and Scanner	20% of bid quantity
3	Bio-Metric Device	20% of bid quantity

OEMs, if participating as bidders, must have manufactured at least a minimum of five times the quantity as shown below for respective item group in each year for last three financial years (2018-19, 2019-20 & 2020-21) in India.

OF CHAPTER SCHEDULE 6. REQUIREMENT

1. Delivery and completion schedule

The item/ subject matter of procurement shall be supplied by the firm as per following schedule from the date of issue of supply order at the places designated / point of supply (POS)/ delivery location in this bid document (Annexure 17 & 18).

Sn	Items required	Quan tity	Max. Delivery and completion schedule
1	Desktop Computer	2850	
2	UPS	2850	
3	MFP	1315	
4	WebCam	1447	20 1 6
5	Headphone	1447	20 days from date of Supply
6	DMP Printer	861	Order
7	Laser Printer	844	Order
8	Bar Code Printer	287	
9	Bar Code Scanner	304	
10	Biometric Device	1130	
11	Desktop Computer	9731	Englisher.
12	Laser Printer (HWC)	9731	30 days from date of Supply
13	WebCam	9731	Order
14	Headphone	9731	

OF **CHAPTER** 6. **SCHEDULE** REQUIREMENT

2. Delivery and completion schedule

The item/ subject matter of procurement shall be supplied by the firm as per following schedule from the date of issue of supply order at the places designated / point of supply (POS)/ delivery location in this bid document (Annexure 17 & 18).

Sn	Items required	Quantit y	Max. Delivery and completion schedule
1	Desktop Computer	2850	HAME TO T
2	UPS	2850	
3	MFP	1315	
4	WebCam	1447	50 days
5	Headphone	1447	from date
6	DMP Printer	861	of Supply
7	Laser Printer	844	Order
8	Bar Code Printer	287	7
9	Bar Code Scanner	304	
10	Biometric Device	1130	
11	Desktop Computer	9731	
12	Laser Printer (HWC)	9731	90 days
13	WebCam	9731	from date
14	Headphone	9731	of Supply Order



Government of Rajasthan National Health Mission, Rajasthan Department of Medical, Health & FW, Swasthya Bhawan, Jaipur

Tel. No. 0141-2221590, Email ID: md-nrhm-rj@nic.in

4 CHAPTER 3.IMPORTANT DATES

Bidder must be strictly aware that the Banker's Cheque/Demand Draft for RISL Processing Fees/ Tender fee/ Bid Security is to be submitted physically at the office of Procuring Entity as prescribed in NIB and scanned copy of same should also be uploaded along with the Technical Bid/ cover

CHAPTER 3.IMPORTANT DATES

Bidder must be strictly aware that the Banker's Cheque/Demand Draft for RISL Processing Fees and Tender fees, Banker's Cheque/Demand Draft/ Bank-Guarantee (BG) for Bid Security is to be submitted physically at the office of Procuring Entity as prescribed in NIB and scanned copy of same should also be uploaded along with the Technical Bid/cover

5 CHAPTER 6. SCHEDULE OF REQUIREMENT

26. Right to vary quantity

- A. Orders for additional quantities may be placed, if allowed in the bidding documents, on the rates and conditions given in the contract and the original order was given after inviting open competitive bids. Delivery or completion period may also be proportionately increased. The limits of orders for additional quantities shall be as under:-
 - i. 50% of the quantity of the individual items and 50% of the value of original contract in case of works;
 and
 - ii.50% of the value of goods or services of the original contract.

CHAPTER 6. SCHEDULE OF REQUIREMENT

26. Right to vary quantity

- B. Orders for additional quantities may be placed on the same price finalized, validity of Price for additional quantity is till the final payment to the bidder, on the rates and conditions given in the contract. Delivery or completion period may also be proportionately increased. The limits of orders for additional quantities shall be as under:
 - i. 50% of the value of goods of the original contract.

6 CHAPTER 8. GENERAL TERMS AND CONDITIONS OF BID & CONTRACT

10.Delivery & Installation

A. Successful bidder has to supply items/equipments at the respective locations (Annexure: 17 & 18) and should have service centers at district HQ level. If bidder does not have service centers than must submit an undertaking that they shall establish the same within 45 days of the issue of the supply order, if their bid is accepted and the supply order issued. In case of IT Equipments having technical glitch or gone out of order, then end users shall be required to visit service centers at district HQ.

CHAPTER 8. GENERAL TERMS AND CONDITIONS OF BID & CONTRACT

10.Delivery & Installation

A. Successful bidder has to supply items/equipments at the respective locations (Annexure: 17 & 18) and should have service centers at district HQ level that will ensure resolution within 48 hours or bidder in coordination with OEM shall provide toll free no. /helpline for any service related issues that will ensure resolution within 48 hours of complain. In case of IT Equipments having technical glitch or gone out of order, then end users shall be required to visit service centers at district HQ.

(yilly



CHAPTER 9. SPECIAL TERMS AND CONDITIONS OF BID & CONTRACT

1)Payment Terms and Schedule

(i) The payment to the Contracted Supplier shall be made in as under:

S	% Pay ment	Condition/ Event
1	70%	On delivery and successful Installation Proof of Delivery, Installation & Configuration (Original, Duly sealed & signed) is to be obtained from the Location / delivery site Incharge. The bills for payment would only be raised after that. Unforeseen delays due to logistic and transit issues and it becomes difficult to submit delivery challan and original sealed & signed installation copy. In that case, Scanned copy shall be allowed provisionally but final settlement will be complete only after submitting original hard copy.
2	30%	After commissioning and one months of successful performance However, this amount may be released if supplier submit equivalent amount Bank Guarantee for validity period minimum up to three month

CHAPTER 9. SPECIAL TERMS AND CONDITIONS OF BID & CONTRACT

1)Payment Terms and Schedule

(i) The payment to the Contracted Supplier shall be made in as under:

S.N	% Payme nt	Condition/ Event
1.	80%	On delivery and successful Installation Proof of Delivery, Installation & Configuration (Original, Duly sealed & signed) is to be obtained from the Location / delivery site In-charge. The bills for payment would only be raised after that. In case of sudden unforeseen delays due to logistic and transit issues and due to such, if it becomes difficult to submit delivery challan and original sealed & signed installation copy. In that exceptional case, Scanned copy shall be allowed provisionally but final settlement will be complete only after submitting original hard copy. This amount can be released in 3 parts (1/3 rd , 1/3 rd & 1/3 rd on successful installation & commissioning of IT equipments at desired locations) after submission of duly signed & sealed delivery & installation report, verified by competent person of the receiving organization, institution.





				2	20%	months perform Howeverelease equiva Guaran minim	ver, this amount may be ed if supplier submit then amount Bank intee for validity period um up to three month, would be extended if
8	ANNEX	TIDE 1131	NNUAL TURNOVER	ANNEX	ZUDE		'12' ANNUAL
0							
	STATE	TURNOVER STATEMENT The average annual turnover of M/s.					
	The aver	The ave	rage ani	iuai tui	mover of M/s.		
	address			address			
		for the	past three years are	for the past five years are			
	given be	given below and certified that the statement is true and correct.					
	true and						
	Year Tu	Year Turnover					
	Average Signatur Account (Name & Tel. No. Mob. No.	Average Signatur Account (Name of Tel. No. Mob. No.	re of Au tant & Addre	ditor/S	al: Seal Chartered		
9	ANNEX	URE-2:	TECHNICAL	ANNEX	URE-2:		TECHNICAL
	SPECIFI	ICATIONS		SPECIF			
		Group No-1		Item Group No-1: Desktop Computer System and other IT Equipment 1.Specifications of Desktop Computer			
		and other IT	Equipment f Desktop Computer				
	System	neations 0.	Desktop Computer	System		13 01	Desktop Computer
	System			System			
	Sr. No	Item	Minimum Technical Specification	Sr. No	Ite	m	Minimum Technical Specification
	1.	Processor	Intel i5/ AMD Ryzen-5 (10 th Generation/ equivalent AMD) 6 Core, with minimum 3.0 GHz or higher (Base Frequency), 12 MB Cache or higher	1.	Process	sor	Intel i5/ AMD Ryzen-5 (10 th Generation/ equivalent AMD) 6 Core, with minimum 3.0 GHz or higher (Base Frequency), 12 MB Cache or higher
	2.	Chipșet	Compatible Intel/ AMD Chipset	2.	Chipse		Compatible Intel/ AMD Chipset
	3.	Motherboard	OEM Motherboard	3.	Mother		OEM Motherboard
-	4.	Operating	Pre-installed Genuine	4.	Operati	ing	Pre-installed Genuine

With



	System	OEM Microsoft
1		Windows 10 Professional (64 bit) with
		OEM recovery
		partition/recovery DVD.
		Declaration from OEM
5.	Graphics	Integrated Graphics Card
3.	Grapines	8 GB DDR4 2666/2933
	Memory	MHz or Higher with
6.	(RAM)	minimum 2 DIMM Slots
	(KAIVI)	Expandable up to 32 GB
		1 TB 7200 RPM SATA
7.	Storage	Drive
		Integrated audio
8.	Audio	controller with internal
0.	rudio	Speaker
		Preloaded with MS
9.	Office	Office Home/Business
		latest version.
		Minimum 6 USB ports
		with at least 2 USB 3.0
		or higher ports, 1-VGA,
		HDMI (Video Ports
10	D .	should be function in
10.	Ports	spite of installation of
		graphic card if required),
		Audio jack for
		headphone &
		microphone on front.
		Minimum 19.0" inch or
1.1	Diamlay	higher, Resolution
11.	Display	1600x900 or higher
		Display, TCO Certified
		Preloaded (Latest
		Version) Internet
		Security of Trend Micro/
12.	Antivirus	Quick Heal/ Symantec/
		Sophos/ Kaspersky with
		minimum 3 years
		subscription
13.	Slots	1 PCI, 1 PCI Express x1,
		1 PCI Express x16
14.	Certificatio	ROHS Compliance,
	n	Certified for supplied OS
	Varibarid	OEM USB Keyboard & OEM USB two button
15.	& Mouse	optical Mouse with
	& Mouse	Mouse Pad
	Network	Integrated 10/100/1000
16.	Interface	GB Ethernet.
	Interface	All necessary cables
		(Power & data cables), 3
17.	Accessories	Mtr CAT 6 patch cord to
		be included
		3 Years comprehensive
18.	Warranty	on site OEM warranty
	The same of the sa	on site OLIVI warranty

T		System	OEM Microsoft Windows 10
			Professional (64 bit) or
			higher with OEM
			recovery
			partition/recovery DVD.
			Declaration from OEM
T	-	Carabias	Integrated Graphics
	5.	Graphics	Card
T			8 GB DDR4 2666/2933
		Memory	MHz or Higher with
1	6.	(RAM)	minimum 2 DIMM
		(10.11.1)	Slots Expandable up to
-			32 GB 1 TB 7200 RPM SATA
1	7.	Storage	Drive
H			integrated audio with
	8.	Audio	internal / External
1	0.	Audio	Speaker
-			Preloaded with Open
	9.	Office	Office updated version.
1			Minimum 6 USB ports
1			with at least 2 USB 3.0
			or higher ports, 1-VGA,
			HDMI (Video Ports
	10	Donto	should be function in
	10.	Ports	spite of installation of
			graphic card if
			required), Audio jack
			for headphone &
			microphone on front.
			Minimum 19.0" inch or
	11.	Display	higher, Resolution
			1600x900 or higher
1			Display, TCO Certified
			Preloaded (Latest Version) Internet
			Security of Trend
			Micro/ Quick Heal/
	12.	Antivirus	Symantec/ Sophos/
			Kaspersky with
			minimum 3 years
			subscription
1			1 PCI/ 1 PCI Express X
П	13.	Slots	1, 1 PCI Express X 16
			or higher
11			ROHS Compliance,
	14.	Certification	Certified for supplied
11			OS 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			OEM USB Keyboard &
	15.	Keyboard &	OEM USB two button
		Mouse	optical Mouse with Mouse Pad
1		Network	Integrated 10/100/1000
	16.	Interface	GB Ethernet.
1		Interface	All necessary cables
			(Power & data cables),
	17.	Accessories	3 Mtr CAT 6 patch cord
			to be included
-			

With



			18.	Warranty	3 Years comprehensive on site OEM warranty
4 Spec	ifications of W	ebcam	4 Speci	fications of W	/ebcam
Sr. No	Descriptions	Specification	Sr. No	Descriptions	Specification
	Device Type	Plug & Play Web Camera	1.	Device Type	Plug & Play Web
2.	Connectivity				Camera
1	Technology	Wired		Connectivity Technology	Wired
3.	Resolution Video	Minimum optical 2 MP and shall support 1080 video capture at 30 fps. HD 1280x720	3.	Resolution	Shall support upto 1080 video capture at 30 FPS or higher
	Image Capturing	Upto 3.0 megapixel	4.	Video	HD 1280x720
6.	image Capturing	Clear and richer picture			Upto 3.0 megapixel
	Features	with 5G/>=60 degree, brightness controller, digital zoom	6.	Features	Clear and richer picture with 5G/>=60 degree, brightness controller,
8	OS Support	Windows, Mac and Linux	7.		digital zoom Windows, Mac and
8.	Audio	Built-in mics with auto noise	/.	OS Support	Linux
9.		reduction/cancelation USB 2.0 and Above	8.	Audio	Built-in mics with auto noise reduction/cancelation
10	Cable Details	Connector USB Cable min 1.5 Meter	9.	Interfaces	USB 2.0 and Above Connector
11	Certification	BIS & ROHS Compliance	10.	Cable Details	USB Cable min 1.5 Meter
5 Specif	fications of UPS			Certification cations of UPS	BIS & ROHS Compliance
Sr.		Proposed	Sr.		Proposed
No	Features			Tantarana.	Troposed
	1	Specification	No	Features	Specification
1.		Specification 1 KVA	No 1.	UPS Capacity	Specification 1 KVA
1. 2. 3.	UPS Capacity Protection	1 KVA Full Protection Display for input & Output Voltage and			1 KVA Over Voltage, Short Circuit and overload protection at UPS
3.	UPS Capacity Protection User Display	1 KVA Full Protection Display for input & Output Voltage and battery charging	2.	UPS Capacity Protection	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals
3.	UPS Capacity Protection User Display Voltage	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V +-10%	2. 3.	UPS Capacity Protection Voltage	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10%
2. 3. 4. 5.	UPS Capacity Protection User Display Voltage Range	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V+-10% 160 V to 280 V	1. 2. 3. 4.	UPS Capacity Protection Voltage Range	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10% 160 V to 280 V
2. 3. 4. 5. 6.	UPS Capacity Protection User Display Voltage Range Power Factor	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V +-10%	2. 3.	UPS Capacity Protection Voltage	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries)
2. 3. 4. 5.	UPS Capacity Protection User Display Voltage Range Power Factor	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt	1. 2. 3. 4. 5.	UPS Capacity Protection Voltage Range Power Factor	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries) Mains On/ On Battery/ Low Battery/ Fault/ Overload
2. 3. 4. 5. 6.	UPS Capacity Protection User Display Voltage Range Power Factor	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries) (Brands preferred – Exide/ Quanta- Amron/ HBL/Yuasa/Hitachi) Mains On/ On Battery/ Low Battery/ Fault/ Overload	1. 2. 3. 4. 5.	UPS Capacity Protection Voltage Range Power Factor Back up time	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries) Mains On/ On Battery/ Low Battery/ Fault/ Overload Input cable of 1.5 Mtr with 3 pin Indian plug and output have 4 nos. of
2. 3. 4. 5. 6.	UPS Capacity Protection User Display Voltage Range Power Factor Back up time	1 KVA Full Protection Display for input & Output Voltage and battery charging 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries) (Brands preferred – Exide/ Quanta- Amron/ HBL/Yuasa/Hitachi) Mains On/ On Battery/ Low Battery/ Fault/	1. 2. 3. 4. 5. 6.	UPS Capacity Protection Voltage Range Power Factor Back up time Indicator	1 KVA Over Voltage, Short Circuit and overload protection at UPS output terminals 230V +-10% 160 V to 280 V 0.6 or higher 168 VAH for 30 minute backup on 1 PC (Inbuilt Batteries) Mains On/ On Battery/ Low Battery/ Fault/ Overload Input cable of 1.5 Mtr with 3 pin

my y



rtification st Report	Valve Regulated ON Battery/ Fault, Over Load, Low Battery BIS, ROHS, ISO for OEM OEM should submit test report for the quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5 years) Ilti-Function Printer	12.	Test Report	OEM should submit test report for the quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5 years)
arm rtification st Report ations of Mu	Over Load, Low Battery BIS, ROHS, ISO for OEM OEM should submit test report for the quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5 years)		Test Report	quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5
st Report ations of Mu	OEM OEM should submit test report for the quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5 years)			accredited labs (not old from last 5
st Report ations of Mu	test report for the quoted model issued by state/ central laboratory/NABL accredited labs (not old from last 5 years)			
ations of Mu				
Descriptions		7 Speci (MFP)	fications of Mul	ti-Function Printer
	Specification	Sr. No.	Descriptions	Specification
	Print, Scan, Copy,		Functions	Print, Scan, Copy
nctions	Fax		Printing Method	Monochrome Laser
nting Method	Monochrome Laser		Paper Size	A4, A5, Legal
per Size	A4, A5, Legal		Print Speed	28 PPM
nt Speed	28 PPM	5		600 x 600 dpi or
	600 x 600 dpi or		Print Resolution	higher
nt Resolution	higher	6	Auto Duplex	Yes
to Duplex	Yes		Memory	256 MB or Higher
emory	256 MB or Higher		Connectivity	USB Ethernet
	USB Ethernet		Duty Cycle	25000 Pages or
nnectivity	25000 Pages or	9.	(Monthly)	higher
ty Cycle		10	Scan Type/	Inglier
onthly)	higher		Technology	Flatbed with ADF
an Type/	Flatbed with ADF		Scan Speed	15 PPM or Higher
chnology	15 PPM or Higher			600 x 600 dpi or
an Speed		12	Copy Resolution	higher
py Resolution	600 x 600 dpi or higher		Scan Resolution	600 x 600 dpi or
an Resolution	600 x 600 dpi or			higher
	higher		Wi-Fi and Etherne	t Yes
-Fi and Etherne	t Yes	15	Input Paper Tray	100 pages or high
put Paper Tray	100	10	Capacity	100 pages or higher PDF, JPEG, TIFF,
pacity	100 pages or higher	10	Scan File Format	BMP etc.
an File Format	PDF, JPEG, TIFF,			Composite, Laser
	BMP etc. Composite, Laser	17	Toner Cartridge	Black Tonner: pre
oner Cartridge	Black Tonner: pre install Window-7, 8, 10 and	-11	Compatible Operating System	Window-7, 8, 10 a Linux - Ubuntu
mpatible		19		All required Cable
perating System		- 17	Cables/ Accessori	Accessories
	Accessories	.20	Software media	Driver & utility Software CD/DVD
	Software CD/DVD	21		BIS, ISO Certified to OEM
rtification	OEM			3 Year
	3 Year comprehensive on-		Warranty	comprehensive on site OEM warranty
ftv	vare media	vare media Driver & utility Software CD/DVD BIS, ISO Certified for OEM 3 Year comprehensive on-	vare media Driver & utility Software CD/DVD BIS, ISO Certified for OEM 3 Year	All required Cables, Accessories Vare media Driver & utility Software CD/DVD BIS, ISO Certified for OEM 3 Year comprehensive on- All required Cables, Accessories 20 Software media 21 Certification 22 Warranty





Government of Rajasthan National Health Mission, Rajasthan Department of Medical, Health & FW, Swasthya Bhawan, Jaipur

Tel. No. 0141-2221590, Email ID: md-nrhm-rj@nic.in

13. Dividing quantities among more than one bidder at the time of award:

As par rule number 74 of the RTPP rules, the quantity of the subject matter of the procurement to be procured is very large and the supplies are required in time bound manner across the State. The quantities for the Item Group/ Package Number-1 (Desktop Computer Systems and other IT Equipment) the quantities shall be divided as follows:

- a. The bidder who's bid is accepted as lowest/ most advantages shall be given the supply order of 60% of the quantity rounded-off to next natural number.
- b. The second lowest bidder (L2) shall be offered 40% of the quantity at the rates of the bidder who's bid is accepted as lowest/ most advantages.
- c. In case the second lowest bidder is unable to accept the price of the lowest/ most advantages bidder than counter offer to the next lowest bidder in the order of L3/L4 etc. at the rates of the lowest/ most advantages bidder shall be offered. Whosoever in the above order (L2/L3/L4 etc.) accepts the supply of remaining 40% at the price of accepted of lowest/ most advantages bidder no further offer to any other bidder shall be given and the supply order for remaining 40% shall be given to the bidder who has accepted the offer as above.

14. The revised timelines of the bid are as below:-

End date and time for submission of online proposals	Date and time for opening of technical proposals
14/03/2022	14/03/2022
at 2:00 pm	at 4:00 pm
Monday	Monday

Last date and time for Physical submission of DD/BC & OEM MAF is 14/03/2022 at 03:00 pm

(Dr. Jitendra Kumar Soni) Mission Director, NHM